

Manufacturers of physical access control, distributers of biometric systems















BOOTHS DOUBLE BOOTH

Excellence Through Security Engineering

Booths: Double Booth

Highest security for environments susceptible to sabotage, or theft. Two-stage authority check gives maximum protection. Compact dimensions facilitate installation in areas with limited floor space. Even with its functionality, the design has not been neglected, its elegant design blends in well in sophisticated areas

DESIGN



Internal Or Semi-External Installation Framework In Extruded Aluminium Fitted With Safety Glass Available In Alternative Materials And Colours

Dimensions: 1600mm Wide X 800mm Long, 2200mm High

FUNCTION



First Door Opens On An Authorised Signal, User Steps In, Door Closes, Authorised Signal, Second Door Opens For Passing Through

Multiple Tracking Sensors Prevention Of Multi Person Entry Intercom, Card Reader Device Or Pushbutton Integration Passage In Both Directions, Electronically Controllable Normally Locked Mode

Metal Detector Integration Is Optional

APPLICATION



Corporate Facilities High Security **Facilities Industrial Facilities** Sports Facilities

BRANCHES

CAPE TOWN

32 Sycamore Crescent Atlas Gardens Durbanville 021 556 3866

JOHANNESBURG

Stand 73, Unit 4 Capital Hill Business Park Midrand 011 975 6400

DURBAN

031 942 3437











TECHNICAL SPECIFICATIONS

Power: 220v Ac 50/60 Hz

Power Consumption: 80w

Battery Backup: Standard

Operation: Electro/Mechanical

Turnstile Dimensions: See Drawings

Weight: + - 275kg

Safety Features: Optional Fail Lock/Fail-Safe Mechanism, Fire Alarm Integration

Environment: Indoor

Accessories: Reader Boxes, Push Buttons, Coin Acceptors, Random Search Selectors (Available

On Request)

Finishing Options: Mild steel powder coated, Mild steel hot dip galvanized, Mild steel hot dip and

powder coated, 304 stainless steel brushed

Installation Requirements: Concrete Base

